

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig.1




Fig.2




Fig.3




Fig.4




Fig.5 A




Fig.5 B




Fig.5 C





Fig.5 D



Days after MCL injection [day]

× :dead

Fig.6




Fig.7




Fig. 10A



a. At the time of
injection of MCL

Fig. 10B




b. At the time of completely
regressed
(Group D : 30days after
injection of MCL)





Fig. 10C



c. At the time of tumor
increased
(Group A : 30days after
injection of MCL)

Fig.8





Days after MCL injection (day)

Fig. 11




Fig. 1 2A



a. Tumor tissue of control group
(Group A)

Fig. 1 2B



b. Tumor tissue of thermatology
group (Group B)